Safety Data Sheet

Section 1: Product identification and use

Product Identifier:

TCI 605-50 H.D.

Supplier's name and address:

Tetra-Chem Industries Ltd.

271 Ingersoll St. S., Ingersoll ON N5C 3J7 Canada

Phone: 519-485-4370 - Toll free: 888-658-5515

Process Identifier: Hydrogen peroxide (50%) activator additive at 10% to TCI 804 H.D. liquid paint stripper

24 H EMERGENCY: 613-996-6666

Manufacturer's name and address:

Tetra-Chem Industries Ltd.

271 Ingersoll St. S., Ingersoll ON N5C 3J7 Canada Phone: 519-485-4370 — Toll free: 888-658-5515

rd idontifi

Section 2: Hazard identification			
GHS Classification Acute Toxicity (Inhalation)Category 4 Acute Toxicity (Inhalation)Category 4 Skin Irritation-Category 2 Serious Eye Damage-Category 1 Specific Target Organ Toxicity, Single ExposureCategory 3 Oxidizing LiquidsCategory 2 Pictograms Signal Word Danger Hazard Statements		 H336—May cause drowsiness or dizziness. Precautionary Statements P210—Keep away from heat, sparks, open flames and hot surfaces. No smoking. P220—Keep or Store away from clothing, flammable materials and combustible. P221—Take any precaution to avoid mixing with combustibles and flammables. P261—Avoid breathing mist and or spray. P264—Wash face, hands and any exposed skin throughly after handling. P270—Do not eat, drink or smoke when using this product. P271—Use only outdoors or in a well-ventilated area. P280—Wear protective gloves, protective clothing, eye protection and face protection. P301+P312—IF SWALLOWED: Call hospital emergency department doctor if you feel unwell. P304+P340—IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338—IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310—Immediately call hospital emergency department doctor. P312—Call hospital emergency department doctor. P313—Brinse mouth. 	
H272–May intensify fire; oxidizer.		P330–Rinse mouth. P332+P313–If skin irritation occurs: Get medical advice or attention.	
H302–Harmful if swallowed.		P362+P364—Take off all contaminated clothing and wash it before reuse.	
H315—Causes skin irritation. H318—Causes serious eye damage.		P370+P378–In case of fire: Use water for extinction. P403+P233–Store in a well ventilated place. Keep container tightly closed.	
H332—Harmful if inhaled.		P405–Store locked up.	
H335—May cause respiratory irritation.		P501—Dispose of contents/container in accordance with local/regional/national/international regulation.	
Section 3: Composition / information on	ingredients		
Hazardous Ingredients:	CHEMICAL NAME Hydrogen peroxide	CAS NUMBER 7722-84-1	CONCENTRATION [%] 50
Section 4: First aid measures			
Description of First Aid Measures		breath, and pulmonary edema. Pu	Imonary edema may develop several hours after a severe acute exposure.
General: Determine areas of exposure.		Skin Contact: Skin irritation or burns.	
Inhalation: Excessive exposure - move the fresh air.		Eye Contact: Eye exposures may cause burns to the eye lids, conjunctivitis, corneal edema, and corneal burns.	
Skin Contact: Wash with cold water.		Careful opthalmologic evaluation is recommended and the possibility of local corticosteroid therapy should be	
Eye Contact: Remove contact lenses. Rinse with cold water or saline solution.		considered	
Ingestion: If conscious, give 2 glasses of water. Get immediate medical attention. Do not induce vomiting.		Ingestion: Because of the likelihood of corrosive effects on the gastrointestinal tract after ingestion, and the un-	
Most Important Symptoms and Effects Both Acute and Delayed		likelihood of systemic effects, attempts at evacuating the stomach via emesis induction or gastric lavage should	
General: Low risk to adverse health effects.		be avoided. There is a remote possibility, however, that a nasogastric or orogastric tube may be required for the	
Inhalation: Inhalation may cause coughing, choking, irritation (possibly severe) chemical burns, shortness of		reduction of severe distension due to gas formation.	
Section 5: Fire-fighting measures			
Extinguishing Media		Advice for Firefighters	
Suitable Extinguishing Media: Water only.		Precautionary Measures Fire: In closed unventilated containers, risk of rupture due to the increased pressure	
Unsuitable Extinguishing Media: All others.		from decomposition. Contact with combustible material may cause fire.	
Special Hazards Arising From the Substance or Mixture		Firefighting Instructions: On decomposition product releases oxygen which may intensify fire.	
Fire Hazard: Corrosive caustic vapours at high temperatures.		Protection During Firefighting: Use water spray to cool fire exposed surfaces and protect personnel. Move	
Explosion Hazard: No risk.		containers from fire area if you can do it without risk. As in any fire, wear self-contained breathing apparatus and	
Reactivity: No risk.		full protective gear Hazardous Combustion Products: Oxygen gas.	
Section 6: Accidental release measures			
Personal Precautions, Protective Equipm	ent and Emergency Procedures		
General Measures: Wear impervious splash protection. Neutralize with copious amounts of water.		For Emergency Personnel	
For Non-Emergency Personnel		Protective Equipment: Wear impervious splash protection.	
Protective Equipment: Wear impervious splash protection.		Emergency Procedures: Neutralize with copious amounts of water.	
Emergency Procedures: Mop up small spills with water and flush to sanitary sewers. Large spills should be		Environmental Precautions	
contained and reported immediately. Phone Number of your local authority for Emergency Spill Response:		Methods and Material for Containment and Cleaning Up For Containment: Plastic.	

Section 7: Handling and storage

Precautions for Safe Handling

Additional Hazards When Processed: Use only Manufacturer supplied storage and/or dispensing equipment. See GHS WORKPLACE LABEL in your work area Hygiene Measures: Do not eat, drink or smoke while using this product. Personal Protection Equipment required for cleaning process. Storage Conditions: Keep only in original containers.

Incompatible Materials: Do not mix with other cleaners. Special Rules on Packaging: Consult Manufacturer or Supplier. Specific End Use(s) TCI 605-50 H.D. Hydrogen Peroxide 50% a. TCI 804 H.D. Immersion Paint Stripper Activator for Epoxy and Polyurethane coatings on Aviation, Automotive

Methods for Cleaning Up: Mop up small spills and dispose to sanitary sewer.

Scan Label QR for Product Application Sheet and SDS for safe intended use.

Page 1 of 2

and Industrial Parts.

Section 8: Exposure controls / personal protection **Control Parameters** ACGIH TLV: 1 ppm (TWA) OSHA PEL: 1.4 mg/m³ 1 ppm (TWA) **Exposure Controls** Appropriate Engineering Controls: Adequate ventilation to meet exposure limits by removing the hazard from an inside or outside work environment. Other Information: Acid resistant GLOVES are always required. In confined wash Personal Protective Equipment: areas with minimal ventilation use NIOSH approved respirators and splash protection for oxidizer mist when rinsing parts. Section 9: Physical and chemical properties Information on Basic Physical and Chemical Properties Decomposition Temperature: 100°C Flammability (solid/gas): Not applicable. Physical State: Liquid. Appearance: Colourless. Lower Flammable Limit: Not applicable. Odour: No odour. Upper Flammable Limit: Not applicable. Odour Threshold: Not available. Vapour Pressure: 23 mm Hg @ 30°C Relative Vapour Density at 20°C: Not applicable. pH: 3.7 Relative Density (water=1): 1.13 g/cm³ @ 20°C Relative Evaporation Rate (butyl acetate=1): 0.3 Melting Point: Not applicable. Solubility in Water: Complete Freezing Point: -33°C Partition coefficient: n-octanol/water: log Kow = -1.5 @ 20 °C. Boiling Point: 100°C. Viscosity: 1.1 centipoise @ 20°C. Explosion Data - Sensitivity to Mechanical Impact: Not applicable. Flash Point: Not applicable. Auto-ignition Temperature: Not applicable. Explosion Data - Sensitivity to Static Discharge: Not applicable. Section 10: Stability and reactivity Reactivity: Stable. Incompatible Materials: Combustible materials. Copper alloys, galvanized iron. Chemical Stability: Stable. Strong reducing agents. Heavy metals. Iron. Copper alloys. Contact with metals, Possibility of Hazardous Reactions: None when used as directed. metallic ions, alkalis, reducing agents and organic matter (such as alcohols or ter-Conditions to Avoid: Contact with organic substances may cause fire or explosion. penes) may produce self-accelerated thermal decomposition Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such Hazardous Decomposition Products: Oxygen gas. as alcohols or terpenes) may produce self-accelerated thermal decomposition Section 11: Toxicological information Information on Toxicological Effects - Product Specific Target Organ Toxicity (Repeated Exposure): Not available. Reproductive Toxicity: Not suspected.

Acute Toxicity: Not available. LD₅₀ Data (Species-Route): (Rat - oral): 1193 mg/kg; (Rabbit - dermal) > 2000 mg/kg LC₅₀ Data (Species-Route): (mouse - inhalation) > 2160 mg/m³ Skin Corrosion/Irritation: Severe irritant: Human/Rabbit 10,000 mg/kg 1hr Serious Eye Damage/Irritation: Serious corneal injury: Rabbit 1 mg/24hrs Respiratory or Skin Sensitization: Not suspected. Germ Cell Mutagenicity: Not suspected. Teratogenicity: Not suspected. Carcinogenicity: Not suspected.

Section 12: Ecological information

Toxicity: Not applicable when used as directed. Mobility in Soil: Neutralizes and turns to Oxygen and water in soil.

Section 13: Disposal considerations

Waste Disposal Recommendations: Consult Manufacturer or Supplier. Additional Information: The cleaning process may generate a hazardous industrial waste. Comply with Canadian Ministry of Environment and Climate Change: Regulation 347 and local municipal by-laws. Comply with US EPA's federal, state

Section 14: Transport information

TDGA CANADA - DANGEROUS GOODS: REGULATED 49 CFR (USA) DANGEROUS GOODS: REGULATED IMDG (VESSEL) DANGEROUS GOODS: REGULATED IATA (CARGO AIR) DANGEROUS GOODS: REGULATED IMDG (PASSENGER AIR) DANGEROUS GOODS: REGULATED & local regulations. Tetra-Chem Industries Ltd. is licensed by the Ministry of the Environment and Climate Change for waste management.

Other Information: Non-toxic to aquatic life. Freshwater Fish, Invertebrate . Toxic to

Specific Target Organ Toxicity (Single Exposure): Eyes, Respiratory System, Skin.

Symptoms/Injuries After Skin Contact: Slight itchy irritation/skin whitening ob-

Symptoms/Injuries After Inhalation: Irritation/burning sensation.

Symptoms/Injuries After Eye Contact: Stinging/scaly sensation.

Symptoms/Injuries After Ingestion: Sore itchy throat/burns. Information on Toxicological Effects - Ingredients

Ontario Certificate of Approval # A 800506. Provincial Waste Class: Waste stream to be determined for treatment method.

EMERGENCY ASSISTANCE: CANADA Canutec 1-888-CANUTEC (1-888-226-8832)



Aspiration Hazard: Not anticipated.

Other Adverse Effects

served

Algae.

Proper Shipping Name: HYDROGEN PEROXIDE, (AQUEOUS SOLUTION) Hazard Class: 5.1 Subsidiary class: 8 Identification Number: UN2014 Packing Group: II Label /Placard Codes: 5.1

Section 15: Regulatory information

CANADA: All ingredients are listed on the DSL Domestic Substance List.

Section 16: Other information

Prepared by: Health and Safety committee Contact: A. Struthmann (Hon. BSc.) Telephone: 1-519-536-1617 Date prepared: 2023-03-02 USA: All ingredients are listed on the TSCA Toxic Substances Control Act.

Additional information: The information in this SDS has been obtained from sources believed to be reliable. The manufacturer and supplier provides no warranties express or implied and assumes no responsibility for the accuracy or the completeness of the data contained herein.